





Pathology and Laboratory Medicine

# Orderable - APOB

Turnaround Time: 14 days

## **Alternate Name(s):**

Аро В ApoB

**Specimen:** 



#### Laboratory: Core Lab



### Requisition:

**GENERAL LABORATORY REQUISITION** 



### Method of Analysis: Roche Turbidimetric

**Immunoassay** 

**Test Schedule:** 



# Monday-Thursday



**Referred Out Location: In-Common Laboratories** 

Adult	Pediatric
5 mL Gold top	2-10 years: 3 mL Red top
Vacutainer tube	Vacutainer tube
Lavender top (EDTA) tubes are also acceptable	

Light Green (Li-Heparin) top tubes are **NOT** acceptable

## **Collection Information:**

Minimum volume of serum required is 1 mL for adult or pediatric samples.

## **Reference Ranges:**

Apolipoprotein B (g/L)	
Female	Male
0 to < 15 days: 0.1 - 0.7	0 to < 15 days: 0.1 - 0.7
15 days to < 1 y: 0.2 - 1.3	15 days to < 1 y: 0.2 - 1.3
1 to < 6 y: 0.4 - 0.9	1 to < 6 y: 0.4 - 0.9
6 to < 19 y: 0.3 - 0.9	6 to < 19 y: 0.3 - 0.9
> 19 y: 0.60 - 1.41	> 19 y: 0.66 - 1.44

Please follow the Canadian Cardiovascular Society lipid guidelines for clinical ApoB cut-offs that relate to the patient's Framingham Risk Score.

## **Storage and Shipment:**

Store and ship serum frozen.