



Pathology and Laboratory Medicine

CHLAMYDIA
TRACHOMATIS/
NEISSERIA
GONORRHOEAE
NUCLEIC ACID
AMPLIFICATION
TEST



Turnaround Time: Up to 3 days

Specimen Type and Collection Information:

Please review the Public Health Ontario Laboratory Test Information Index:

<u>Chlamydia trachomatis/Neisseria gonorrhoeae (CT/GC) – Nucleic Acid Amplification Testing</u>

Note: The same specimen will be tested for Chlamydia Trachomatis and Neisseria gonorrhoeae NAAT.

Specimen Type	Collection Kit
Female endocervical	Roche cobas® PCR Media Dual
	Swab Sample Kit- FLOCKED
Clinical or patient collected vaginal,	Roche cobas® PCR Media Dual
rectal, and pharyngeal swabs	Swab Sample Kit- WOVEN
Urine	Roche cobas® Urine Sample Kit



Laboratory: Microbiology



Requisition:

See electronic order



Method of Analysis:

Nucleic Acid Amplification (NAAT)



Test Schedule:

Referred out weekdays



Referred to:


Public Health Laboratory 1200 Commissioners Rd E London, Ontario 519-455-9310

DUAL SWAB



Approved Sites: Endocervical (use FLOCKED SWAB),
Vaginal pharyngeal/throat and rectal (use WOVEN SWAB)

URINE DEVICE



Approved Sites: Urine

Storage and Shipment:

Samples can be stored at room temperature or refrigerated. DO NOT FREEZE. The specimen must be received within 24 hours of collection.