

Pathology and Laboratory Medicine

COMPREHENSIVE MYOSITIS PANEL, SERUM

Orderable - CMYOAP

Turnaround Time: 15 days

Alternate Name(s):

Panel includes:

0

Laboratory: Clinical Immunology Lab



Requisition: CLINICAL IMMUNOLOGY REQUISITION



Method of Analysis: Immunoblot for Basic Myositis Panel ELISA for Anti-HMGCR



Test Schedule: Batch analysis **Basic Myositis Panel** Anti-Mi-2 alpha Anti-Mi-2 beta Anti-TIF1 gamma Anti-MDA5 Anti-NXP2 Anti-SAE1 Anti-Ku Anti-PM-Scl 100 Anti-PM-Scl 75 Anti-JO1 Anti-PL-7 Anti-PL-12 Anti-EJ Anti-OJ Anti-Ro-52 Anti-Ha Anti-Ks Anti-Zo Anti-cN1A Anti-SRP

Anti-HMG-CoA Reductase (HMGCR

Specimen:

Adult	Pediatric
5 mL Gold top	0-2 years: 0.5 mL Red
Vacutainer tube or 6 mL	Microtainer
Red top Vacutainer tube	2-10 years: 2 mL Red top tube



Pathology and Laboratory Medicine

COMPREHENSIVE MYOSITIS PANEL, SERUM

Collection Information:

Minimum volume required for testing is 1.0 mL

Reference Ranges:

Antibodies by immunoblot		
Negative		
Anti-HMGCR by ELISA		
Negative	<20 U	
Positive	≥20 U	

Interpretive Comments:

Immunoblot results will be reported as either negative or positive for specific antibodies as the following.

1+ Weak Positive

2+ Positive

3+ Strong Positive

Sample Stability:

Refrigerated: 14 days Frozen: 30 days

Comments:

Accepted from referred in locations.