

Checklist for UNSTABLE CODE STEMI (CCTC)

- CCTC CN assigns CODE STEMI RN (identified on assignment sheet)

If the Charge Nurse is the only RN available to assist with patient transport then he/she must hand off the pager to a CCTC RN who will have support from the CCTC Coordinators or the After Hours Coordinator

CODE STEMI RN must be prepared to report to the VH ED within 10 minutes of an Unstable Code STEMI page. In preparation, CODE STEMI RN completes the following checklist **at the start of his/her shift**:

- CODE STEMI RN gives a report on assigned patient to other RNs in the same Bay so that patient handover can be completed quickly if required
- Touch base with CCTC Resident who is carrying CODE STEMI pager (#15300) and reviews response plan
- Examine CODE STEMI transport pack (stored in Charge Nurse Office) to familiarize self with available supplies (supply checklist below).
- Notify CN of changes in assigned patient's condition that might necessitate reassignment of CODE STEMI RN

If Unstable CODE STEMI is activated:

- CCTC Resident and/or Charge Nurse notifies CODE STEMI RN
- CODE STEMI RN provides quick handover report on assigned patient
- CODE STEMI RN brings CODE STEMI transport pack
- RN/RTT/MD picks up defibrillator en route to VH ED
- RRT brings intubation box
- CODE STEMI Team (CCTC MD/CCTC RN/and transport RRT) meet in ED and obtain report
- Consider need for PPE.
- CODE STEMI Team accompanies patient directly to University Hospital Cardiac Catheterization Lab (UH Main C2 – 100, extension 35828) via Middlesex-London EMS
- Stop in UH ED if patient becomes unstable. UH ED is aware unstable STEMI patient en route.
- VH CODE STEMI team provides handover to Cardiac Cath Lab and UH ICU Team in Cath Lab (or in ED if stopover is required)
- VH CODE STEMI team returns to Victoria Hospital via Checker Cab – Book Checker Cab by calling Voyageur Dispatch 519 455 1390. Voyageur will ask for the patient name/PIN number with whom this travel is associated.


EQUIPMENT CHECKLIST

Check that all listed supplies are available at the start of the shift/prior to leaving CCTC:

- CCTC Transport Intubation box (RRT)
- CCTC Defibrillator
- CCTC CODE STEMI Transport Bag (contents listed below):
 - Copy of the attached document
 - Documentation – Clip board with Clinical Progress Record
 - NTG spray
 - Pressure bag
 - Preloaded epinephrine
 - Preloaded atropine
 - Amiodarone bolus dose with syringe
 - Lidocaine
 - Tape
 - Med stickers
 - Pen
 - ECG electrodes
 - PPE including mask with face shield
 - Transcutaneous Pacer Pads

Other supplies that may be required would be based on individual patient need.

Algorithm for the Transport of Code STEMI Patients (revised March 12, 2014)



Updated September 16, 2014
Reviewed January 30, 2020