CHLAMYDIA TRACHOMATIS/ NEISSERIA GONORRHOEAE NUCLEIC ACID AMPLIFICATION TESTING



Pathology and Laboratory Medicine

Orderable - CTNG

Turnaround Time: Up to 3 days

Specimen and Collection Information:

Please review the Public Health Ontario Laboratory Test Information Index: <u>Chlamydia trachomatis/Neisseria gonorrhoeae (CT/GC) – Nucleic Acid Amplification</u> <u>Testing</u>

Note: The same specimen will be tested for Chlamydia Trachomatis and Neisseria gonorrhoeae NAAT.

| Specimen Type | Collection Kit |
|--|---|
| Female endocervical | Roche cobas [®] PCR Media Dual |
| | Swab Sample Kit- FLOCKED |
| Clinical or patient collected vaginal, | Roche cobas [®] PCR Media Dual |
| rectal, and pharyngeal swabs | Swab Sample Kit- WOVEN |
| Urine | Roche cobas [®] Urine Sample Kit |



Laboratory: Microbiology



Requisition: See electronic order



Method of Analysis: Nucleic Acid Amplification (NAAT)



Test Schedule: Referred out weekdays





Approved Sites: Endocervical, pharyngeal/throat and rectal



URINE DEVICE



Approved Sites: Urine

Storage and Shipment:

Samples can be stored at room temperature or refrigerated. DO NOT FREEZE. The specimen must be received within 24 hours of collection.